

2027 - Striping:

Removed - Part of TAS 26-8

Buffalo/Syracuse Divisions.

Clifton Springs:

Remove - TAS 26-8.

Sheet # 1

6/28/26.

of 14

White:

Standard 6" = 1,691 ft.

+ 1,068 ft.

2,759 ft.

Gore:

192 ft.

57 ft.

+ 215 ft.

464 ft.

Crosswalks:

18 x 5 = 90

68

65

12 x 5 = 60

19

19

+

321 ft.

Yellow:

Gas St. Prk.: 18 ft.

18 ft.

17 ft.

18 ft.

7 ft.

8 ft.

8 ft.

8 ft.

8 ft.

8 ft.

16 ft.

16 ft.

+ 82 ft.

224 ft.

Tractor Trail. Prk.:

18":

Path Measure: (Exit YELLOW STRIPS)

11 ft.

264 ft.

78 ft.

80 ft.

77 ft.

78 ft.

80 ft.

80 ft.

79 ft.

78 ft.

77 ft.

80 ft.

80 ft.

78 ft.

81 ft.

80 ft.

+ 770 ft.

2,233 ft.

24 ft.

20 ft.

16 ft.

12 ft.

9 ft.

5 ft.

59 ft.

55 ft.

62 ft.

52 ft.

48 ft.

43 ft.

40 ft.

35 ft.

33 ft.

28 ft.

158 ft.

47 ft.

10 ft.

15 ft.

14 ft.

13 ft.

10 ft.

7 ft.

3 ft.

2 ft.

24 ft.

15 ft.

7 ft.

8 ft.

+ 874 ft.

TOTALS: WHITE:

2,759 ft.

464 ft.

+ 321 ft.

3,544 ft.

YELLOW:

224 ft.

2,233 ft.

874 ft.

+ 558 ft.

3,889 ft.

White: 3,544 ft.

Yellow: 3,889 ft.



New York State Thruway Authority

PROJECT # 2027 striping ContractMADE BY A.P.L. DATE 6/23/26

CHECKED BY _____ DATE _____

SUBJECT Buffalo/Syracuse Divisions.SHEET # 2 OF ~~13~~ 14

Interchange 43: Remove - TAS 26-8.

<u>Yellow:</u>	<u>white:</u>	<u>Gore:</u>	<u>Skip / Cat Tracks:</u>	<u>Stop Bars:</u>
374	6"	285	592	41 x 4 = 164
140	162	340	+ 206	46 x 4 = 184
1,162	53	175	<u>798 ft./4</u>	87 x 4 = 348 ft.
1,194	831	145	= 199.50	
3,761	3,569	434	= 200 ft.	
+ 3,923	101	195		
<u>10,554 ft.</u>	3,625	+ 227	16,618	
	4,165	<u>1,801 ft.</u>	1,801	
	+ 4,112		+ 200	
	<u>16,618 ft.</u>		+ 348	
			<u>18,967 ft.</u>	
				<u>TOTAL:</u>
				Yellow: <u>10,554 ft.</u>
				White: <u>18,967 ft.</u>

Interchange 44: Remove - TAS 24-1.

<u>Yellow:</u>	<u>White:</u>	<u>Gore:</u>	<u>Skip / Cat Tracks:</u>	<u>Black: (Skip):</u>
4,211	6"	202	224	1,120 ft./4 = 280 ft.
3,749	3,201	334	1,163	
999	3,939	44	700	
+ 597	4,178	446	431	
<u>9,556 ft.</u>	+ 3,718	623	838	
	<u>15,036 ft.</u>	270	+ 3,113	
		334	7,069 ft./4 = 1,767.25	
		155	= 1,768 ft.	
		532		
		+ 238		
		<u>3,178 ft.</u>		
				<u>TOTAL:</u>
				Yellow: <u>9,556 ft.</u>
				White: <u>19,982 ft.</u>
				Black: <u>280 ft.</u>

15,036
3,178
+ 1,768
19,982 ft.



New York State Thruway Authority

PROJECT # Statewide Pavement Safety Striping 2027.MADE BY A.P.L. DATE 6/24/26

CHECKED BY _____ DATE _____

SUBJECT Buffalo/Syracuse Divisions.SHEET # 3 OF 14

Decision
8/13/26.
BOB C.

Seneca Service Area:Yellow:

~~Tractor Trailer Parking 1:
16 Lines @ 80'-0" Long
1,280~~

~~Tractor Trailer Parking 2:
22 Lines @ 70'-0" Long
1,540~~

~~42 Lines @ 14'-0"
588~~

~~1,280 + 1,540 + 588 = 3,408 ft.~~

~~Lines:~~

~~15 ft.
276 ft.
+ 582 ft.
873 ft.~~

~~3,408 ft.
+ 873 ft.
4,281 ft.~~

white:

~~6"
23 ft.
235 ft.
1,212 ft.
+ 1,259 ft.
2,729 ft.~~

~~Gore:
88 ft.
447 ft.
57 ft.
+ 304 ft.
896 ft.~~

~~2,729 ft.
+ 896 ft.
3,625 ft.~~

TOTAL W/OUT FUEL AREA:

Yellow:
582 ft.

white:
6":
1,259 ft.
304 ft.
57 ft.
447 ft.
+ 337 ft.
2,404 ft.

TOTAL:

~~Yellow: 4,281 ft.~~

~~white: 3,625 ft.~~

Interchange 47:Yellow:

4,006 ft.
3,922 ft.
955 ft.
1,042 ft.
600 ft.
213 ft.
+ 512 ft.
11,250 ft.

white:

6"
3,989 ft.
3,790 ft.
3,420 ft.
1,072 ft.
535 ft.
619 ft.
+ 2,820 ft.
16,245 ft.

Gore:

214 ft.
258 ft.
329 ft.
305 ft.
61 ft.
63 ft.
116 ft.
115 ft.
72 ft.
114 ft.
205 ft.
359 ft.
325 ft.
227 ft.
+
2,763 ft.

Skip / eat Tracks:

191 ft.
644 ft.
598 ft.
(12"-541 ft.) 1,082 ft.
+ 1,043 ft.
3,558 ft.

16,245 ft.
2,763 ft.
+ 890 ft.

19,898 ft.

/4 = 889.50 ft
= 890 ft.

TOTAL:

Yellow: 11,250 ft.

white: 19,898 ft.

→ 22,515 ft.

white:
19,898 ft.
+ 2,617 ft.
22,515 ft.

(Park & Ride)

Symbols:

Lane Reduction Arrow - 1 Total

Handicapped Symbols: 6 Total

Symbols are 48" x 48"

4" per pass

48" / 4" = 12 passes per symbol

12 passes @ 48" = 576' / 12" = 48 ft. each

48 ft. each x 6 symbols = 288 ft.

288 ft. x 5% = 302.4

Total: Say 305 LF



New York State Thruway Authority

PROJECT # Statewide Pavement Safety Striping 2027.MADE BY A.P.L. DATE 6/24/26

CHECKED BY _____ DATE _____

SUBJECT Buffalo/Syracuse Divisions.SHEET # 4 OF ~~5~~ 14Interchange 48 :

<u>Yellow :</u>	<u>White :</u>	<u>Gore :</u>	<u>Skip/Cat Tracks :</u>	<u>Stop Bars :</u>
3,693 ft.	6"	199 ft.	168 ft.	12 ft.
3,733 ft.	3,985 ft.	267 ft.	81 ft.	12 ft.
1,277 ft.	4,273 ft.	276 ft.	82 ft.	+ 24 ft.
998 ft.	2,018 ft.	312 ft.	(12") 222 ft.	48 ft.
47 ft.	4,131 ft.	253 ft.	+ 374 ft.	x 4
70 ft.	51 ft.	300 ft.	927 ft.	192 ft.
Double → 64 ft.	69 ft.	52 ft.		
→ 64 ft.	230 ft.	90 ft.	16,413 ft.	
Double → 438 ft.	135 ft.	59 ft.	2,035 ft.	
→ 438 ft.	613 ft.	34 ft.	927 ft.	
+ 438 ft.	+ 108 ft.	+ 193 ft.	+ 192 ft. *	
<u>10,822 ft.</u>	<u>16,413 ft.</u>	<u>2,035 ft.</u>	<u>19,567 ft.</u>	
			- 192 ft.	
			<u>19,375 ft.</u>	
				<u>TOTAL :</u>
				Yellow: <u>10,822 ft.</u>
				White: <u>19,567 ft.</u>

SYMBOLS:

10 - Yield Bar Triangles Total.

4 - Left Turn Arrows

3 - Right Turn Arrows

3 - Straight Arrows = 10 Arrows Total.

Interchange 48 A :

<u>Yellow :</u>	<u>White :</u>	<u>Gore :</u>	<u>Skip/Cat Tracks :</u>	<u>Stop Bars :</u>
4,630 ft.	6"	344 ft.	2,220 ft.	28 ft.
4,406 ft.	5,324 ft.	502 ft.	101 ft.	+ 35 ft.
1,261 ft.	4,859 ft.	440 ft.	80 ft.	63 ft.
694 ft.	3,098 ft.	168 ft.	283 ft.	x 4
Double → 127 ft.	3,643 ft.	243 ft.	68 ft.	252 ft.
→ 127 ft.	110 ft.	226 ft.	469 ft.	
Double → 443 ft.	155 ft.	+ 327 ft.	254 ft.	
+ 443 ft.	83 ft.	2,250 ft.	+ 236 ft.	
<u>12,131 ft.</u>	93 ft.		3,711 ft.	
	+ 141 ft.			
	<u>17,506 ft.</u>			
			17,506 ft.	
			2,250 ft.	
			3,711 ft.	
			+ 252 ft. *	
			<u>23,719 ft.</u>	
			- 252 ft.	
			<u>23,467 ft.</u>	
				<u>TOTAL :</u>
				Yellow: <u>12,131 ft.</u>
				White: <u>23,719 ft.</u>
				<u>23,467 ft.</u>

These numbers now reflect the added work located at the Park & Ride.

ARROWS:

Right Turn = 2.

Left Turn = 4.

6 TOTAL:

Handicapped Symbols: 2 Total
Symbols are 48" x 48"

4" per pass

48" / 4" = 12 passes per symbol

12 passes @ 48" = 576' / 12" = 48 ft. each

48 ft. each x 2 symbols = 96 ft.

96 ft. x 5% = 100.8

Total:

Say 105 LF

* Add Yellow paint from Park & Ride:

Yellow: 12,131 ft.

+ 1,922 ft.

Yellow: 14,053 ft.

PROJECT # Statewide Pavement Safety
Striping 2027

CHECKED BY _____ DATE _____

SUBJECT Buffalo/Syracuse Divisions.

SHEET # 5 OF ~~5~~ 14

Interchange 56: Remove - TAB 24-23

<u>Yellow:</u>	<u>White:</u>	<u>Gore:</u>	<u>Skip/cat Tracks:</u>	<u>Stop Bars:</u>
443 ft.	6"	530 ft.	326 ft.	38 ft.
706 ft.	104 ft.	253 ft.	1,003 ft.	<u>x 4</u>
1,079 ft.	3,186 ft.	287 ft.	190 ft.	152 ft.
503 ft.	145 ft.	308 ft.	<u>+ 1,180 ft.</u>	
1,083 ft.	117 ft.	209 ft.	2,699 ft.	
512 ft.	3,305 ft.	<u>+ 258 ft.</u>		
Double 2,537 ft.	3,652 ft.	1,845 ft.	<u>Cross walks:</u> * STRIPE LENGTHS ARE * 29 x 21'-0" = 609 ft. DOUBLED - 12" STRIPES.	
↳ 2,537 ft.	<u>+ 3,508 ft.</u>		156 ft.	
Double 2,524 ft.	14,017 ft.		191 ft.	
↳ 2,524 ft.			4 x 14'-0" = 56 ft.	
<u>+</u>			2 x 28'-0" = 56 ft.	
14,448 ft.			<u>+</u>	
			1,068 ft.	
			<u>TOTAL:</u>	
			Yellow: 14,448 ft.	
			White: 19,781 ft.	
			19,629 ft.	

Interchange 57: Remove - TAB 24-23

<u>Yellow:</u>	<u>White:</u>	<u>Gore:</u>	<u>Skip/Cat Tracks:</u>	<u>Stop Bars:</u>	<u>Crosswalks:</u>
2,061 ft.	6"	515 ft.	220 ft.	25 ft.	21 x 7' = 147 ft.
3,507 ft.	94 ft.	230 ft.	628 ft.		2 x 65' = 130 ft.
1,031 ft.	42 ft.	292 ft.	1,433 ft.	x 4	277 ft.
+ 3,693 ft.	1,464 ft.	247 ft.	1,439 ft.	100 ft.	(12") x 2
<u>10,292 ft.</u>	105 ft.	391 ft.	71 ft.		554 ft.
	8 ft.	187 ft.	+ 360 ft.		10 x 7' = 70 ft.
	723 ft.	+ 267 ft.	+ 452 ft.		2 x 29' = 58 ft.
	85 ft.	2,129 ft.	4,603 ft.		(12") x 2
	275 ft.				116 ft.
	159 ft.	19,730 ft.			10 x 7' = 70 ft.
	180 ft.	2,129 ft.			2 x 29' = 58 ft.
	185 ft.	4,603 ft.			(12") x 2
	4,571 ft.	100 ft.			116 ft.
	3,790 ft.	554 ft.			
	4,293 ft.	116 ft.			
+ 3,756 ft.	<u>19,730 ft.</u>	+ 116 ft.			
		<u>27,348 ft.</u>			
		- 100 ft.			
		<u>27,248 ft.</u>			
				<u>TOTAL:</u>	
				Yellow:	10,292 ft.
				White:	27,348 ft.
					27,248 ft.



New York State Thruway Authority

PROJECT # 2027 Striping ContractMADE BY APL DATE _____

CHECKED BY _____ DATE _____

SUBJECT Buffalo Division.SHEET # 6 OF ~~13~~ 14* Added Work Post ADP.Interchange 47 Park & Ride:6" White: * ALL WHITE EPOXY !! *Gore Area:

$$\begin{array}{r}
 95 \text{ ft.} \\
 130 \text{ ft. (10 ft. x 13 Lines)} \\
 + 10 \text{ ft. (5 ft. x 2 Lines)} \\
 \hline
 235 \text{ ft.}
 \end{array}$$

East Block Parking Lines:

$$18 \text{ ft.} \times 32 \text{ Lines} = 576 \text{ ft.}$$

Middle Block Parking Lines:

$$40 \text{ ft.} \times 26 \text{ Lines} = 1,040 \text{ ft.}$$

$$\begin{array}{r}
 8 \text{ ft.} \\
 + 200 \text{ ft.} \\
 \hline
 1,248 \text{ ft.}
 \end{array}$$

235 ft.

576 ft.

1,248 ft.

+ 558 ft.

2,617 ft.

TOTAL = 2,617 ft.

Handicapped Symbols:

6 Symbols Total.

For the Handicapped Symbol calculations and total quantities, please see Sheet 3 of 8 for INT. 47 and Sheet 4 of 8 for INT. 48A.

West Block Parking Lines:

$$18 \text{ ft.} \times 31 \text{ Lines} = 558 \text{ ft.}$$

$$\text{Original} = 19,898 + 2,617 = \boxed{22,515 \text{ ft.}}$$

Interchange 48A Park & Ride:

$$35 \text{ ft.} + 116 \text{ ft.} + 156 \text{ ft.} + 181 \text{ ft.} + 178 \text{ ft.} + 380 \text{ ft.} + 560 \text{ ft.} = 1,922 \text{ ft.}$$

6" Yellow:

* ALL YELLOW EPOXY !! *

Gore Area 1:Gore Area 2:Gore Area 3:Gore Area 4:Gore Area 5:STOP BARS:

$$\begin{array}{r}
 105 \text{ ft.} \\
 8 \text{ ft.} \\
 14 \text{ ft.} \\
 17 \text{ ft.} \\
 19 \text{ ft.} \\
 22 \text{ ft.} \\
 25 \rightarrow 25 \text{ ft.} \\
 29 \text{ ft.} \\
 28 \text{ ft.} \\
 23 \text{ ft.} \\
 20 \text{ ft.} \\
 16 \text{ ft.} \\
 12 \text{ ft.} \\
 8 \text{ ft.} \\
 + 5 \text{ ft.} \\
 \hline
 351 \text{ ft.}
 \end{array}$$

55 ft.

9 ft.

9 ft.

9 → 9 ft.

9 ft.

9 ft.

8 ft.

4 ft.

+ 4 ft.

116 ft.North Block P.L.:

$$20 \text{ ft.} \times 19 \text{ Lines} = 380 \text{ ft.}$$

South Block P.L.:

$$20 \text{ ft.} \times 28 \text{ Lines} = 560 \text{ ft.}$$

59 ft.

5 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

8 ft.

+ 4 ft.

156 ft.

59 ft.

9 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

10 ft.

6 ft.

3 ft.

+ 4 ft.

181 ft.

81 ft.

5 ft.

8 ft.

10 ft.

13 ft.

17 ft.

13 ft.

11 ft.

9 ft.

7 ft.

+ 4 ft.

178 ft.TOTAL:

Yellow: 1,922 ft.

2 Handicapped Symbols.



New York State Thruway Authority

PROJECT # 2027 Striping Contract MADE BY APL DATE _____

CHECKED BY _____ DATE _____

SUBJECT Buffalo Division. SHEET # 7 OF * 14353.10 E.B. Parking Area:* Added work Post ADP.Yellow:
1,059 ft.white:
6":
450 ft.
+ 425 ft.
875 ft.Strip:
317 ft. $\div 4 = 79.25$ ft.
Say ≈ 80.00 ft.Parking Spot Lines:
17 @ 30' = 510 ft.
1 @ 18' = + 18 ft.
528 ft.Gore Area 1:
(Diagonal Lines)3 ft.
5 ft.
9 ft.
11 ft.
13 ft.
10 ft.
8 ft.
+ 5 ft.
64 ft.Gore Area 2:
(Diagonal Lines)5 ft.
9 ft.
11 ft.
13 ft.
13 ft.
13 ft.
13 ft.
13 ft.
13 ft.
12 ft.
+ 10 ft.
125 ft.Gore Area 3:
(Diagonal Lines)3 ft.
6 ft.
10 ft.
10 ft.
+ 8 ft.
37 ft.Handicapped
Symbols:
2 Symbols Total.Handicapped Symbols: 2 Total
Symbols are 48" x 48"
4" per pass
48" / 4" = 12 passes per symbol
12 passes @ 48" = 576' / 12" =
48 ft. each
48 ft. each x 2 symbols = 96 ft.
96 ft. x 5% = 100.8
Total:
Say 105 LFTOTAL:

Yellow: 1,059 ft.

White: 1,709 ft.



New York State Thruway Authority

PROJECT # _____

MADE BY _____ DATE _____

CHECKED BY _____ DATE _____

SUBJECT _____

SHEET # 8 OF 14Ontario Service Area:

Yellow:
 567.00 ft.
 +130.00 ft.
697.00 ft.

White:
6":
 1,007.00 ft.
 290.00 ft.
 167.00 ft.
 +1,152.00 ft.
2,616.00 ft.

Scottsville Service Area:

Yellow:
 402.00 ft.

White:
6":
 1,065.00 ft.
 312.00 ft.
 261.00 ft.
 +1,189.00 ft.
2,827.00 ft.

PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: J. McCool

DATE: 09/2026

CHECKED BY: _____

DATE: _____

SUBJECT: Interchange 45 (MP 350.99)
White/Yellow Epoxy Stripes

SHEET # 9 OF 14

White

Tandem Lot $440 + 1,317 + 289 = 2,046$

I-490 Ramps $2,035 + 94 + 120 = 2,249$

I-490 $1,310 + 477 = 1,787$

Gore $1,014 + 639 + 227 + 696 + 261 + 388 + 181 + 365 + 418 + 202 + 205 + 115 + 112 + 128 = 4,951$
 $4,951 \times 2 = 9,902$

Skip $767 + 1,070 + (422 \times 2) + 2,426 + 1,031 + (607 \times 2) + 1,867 + 993 + 50 = 10,262$
 $9,780 \times 0.25 = 2566$

Stop Bar $46 \times 4 = 184$

Ramp Arrow $1 \times 74 = 74$

WB Decel $1,019 + 1,464 = 2,483$

EB Decel $3,490$

EB Accel $6,660$

WB Accel $5,370$

$2,046 + 2,249 + 1,787 + 9,902 + 2,566 + 184 + 74 + 2,483 + 3,490 + 6,660 + 5,370 = 36,811$

Yellow

WB Decel $498 + 283 = 781$

EB Decel $5,240$

EB Accel $5,560$

WB Accel 743

I-490 Ramps $1,668 + 411 + 139 = 2,218$

$781 + 5,240 + 5,560 + 743 + 2,218 = 14,542$

PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: J. McCool **DATE:** 09/2026

CHECKED BY: **DATE:**

SUBJECT: Interchange 46 (MP 362.44)
White/Yellow Epoxy Stripes

SHEET # 10 **OF** 14

White

I-90 WB Accel	$1,151 + 1,695 = 2,846$
I-90 WB Decel	$964 + 826 + 1,034 = 2,824$
I-90 EB Decel	$2,533 + 1,120 = 3,653$
I-90 EB Accel	$1,771 + 2,062 = 3,833$
I-390 NB Off Ramp	$1,410 + 1,494 = 2,904$
I-390 NB On Ramp	$1,531 + 1,007 + 1,289 = 3,827$
I-390 SB Off Ramp	$886 + 1,085 = 1,971$
I-390 SB On Ramp	$744 + 250 = 994$
Tandem / Maintenance Lot	$666 + 741 + 569 + 185 + 184 = 2,345$
Gore	$293 + 620 + 82 + 264 + 417 + 82 + 506 + 325 + 399 + 734 + 154 + 287 + 195 + 201 + 439 + 657 + 183 + 123 + 55 + 145 = 6,161 \times 2 = 12,322$
Skip	$88 + 468 + 506 + 644 + 644 = 2,350 \times 0.25 = 588$
Ramp Arrow	$3 \times 74 = 222$
Stop Bar	$15 \times 4 = 60$
Yield Bar Triangles	14
	$2,846 + 2,824 + 3,653 + 3,833 + 2,904 + 3,827 + 1,971 + 994 + 2,345 + 12,322 + 588 + 222 + 60 = \mathbf{38,389}$

Symbols:

Letters:

2 x "O"

2 x "N"

2 x "L"

1 x "Y"

2 x "T"

1 x "A"

1 x "D"

1 x "E"

1 x "M"

Arrows:

3 - Ramp Arrows

4 - Straight Arrows

Yield Bar Triangles:

14 - Total

PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: J. McCool

DATE: 09/2026

CHECKED BY: _____

DATE: _____

SUBJECT: Interchange 46 (MP 362.44)
White/Yellow Epoxy Stripes

SHEET # 11 OF 14

Yellow

I-90 WB Accel	536
I-90 WB Decel	609
I-90 EB Decel	$2,861 + 825 = 3,686$
I-90 EB Accel	$2,711 + 823 = 3,534$
I-390 NB Off Ramp	$1,745 + 1,048 = 2,793$
I-390 NB On Ramp	$1,725 + 1,472 = 3,197$
I-390 SB Off Ramp	899
I-390 SB On Ramp	654
Tandem / Maintenance Lot	$(182 \times 2) + 107 + 236 + 313 + 60 + 181 + 63 = 1,324$
	$536 + 609 + 3,686 + 3,534 + 2,793 + 3,197 + 899 + 654 + 1,324 = 17,232$

Symbols:

Letters:

6 x "O"

6 x "N"

6 x "L"

5 x "Y"

2 x "T"

1 x "A"

1 x "D"

1 x "E"

1 x "M"

Arrows:

2 - Right Arrows

2 - Left Arrows

1 - Straight Arrows

3 - Lane Reduction Arrows



PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: A. Lorini

DATE: 09/2026

CHECKED BY: _____

DATE: _____

SUBJECT: White Triple Drop Stripe

SHEET # 12 OF 14

ITEM 685.1707--25 - WHITE HIGHLY REFLECTORIZED TRIPLE DROP EPOXY PAVEMENT STRIPE (LF)

Mainline

MP 350.60 - MP 351.00 6,336 LF

MP 351.00 - MP 354.40 6,336 LF

MP 354.40 - MP 378.20 353,760 LF

6,336 + 6,336 + 353,760 = 366,432

366,432 x 5% = 384,760

SAY: 384,760 LF



PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: A. Lorini

DATE: 09/2026

CHECKED BY: _____

DATE: _____

SUBJECT: Yellow Triple Drop Stripe

SHEET # 13 OF 14

ITEM 685.1708--25 - YELLOW HIGHLY REFLECTORIZED TRIPLE DROP EPOXY PAVEMENT STRIPE (LF)

Mainline

MP 350.60 - MP 351.00 4,224 LF

MP 351.00 - MP 351.40 4,224 LF

MP 351.40 - MP 378.20 283,008 LF

4,224 + 4,224 + 283,008 = 291,456

291,456 x 5% = 306,040

SAY: 306,040 LF



PROJECT: Installation of Pavement Markings at Various
Locations in the Buffalo and Syracuse Divisions

MADE BY: A. Lorini

DATE: 09/2026

CHECKED BY: _____

DATE: _____

SUBJECT: Black Pavement Markings

SHEET # 14 OF 14

ITEM 685.15----25 - BLACK EPOXY PAVEMENT MARKINGS (LF)

MP 350.60 - MP 351.00 1,056 LF

MP 351.00 - MP 354.41 1,056 LF

Interchange 45 258 LF

1,056 + 1,056 + 258 = 2,370

2,370 x 5% = 2,495

SAY: 2,495 LF